

# REPORT - HIPAA 278Response to MMIS

Loop	SegID	HIPAA Name	DT	Req	File	Field	DT	Comment	CommentType
		<b>Health Care Services Review -- Response to Request for Review</b>						Used for both [1] PA from MMIS [2] Notification of auth from ss programs	System Questions
	BHT03	Submitter Transaction Identifier	AN30	R				Return what was in request BHT03	Match Back
<b>2000A</b>	<b>HL</b>	<b>Utilization Management Organization (UMO) Level</b>		<b>R</b>					
<b>2010A</b>	<b>NM1</b>	<b>Utilization Management Organization (UMO) Name</b>		<b>R</b>					
<b>2000B</b>	<b>HL</b>	<b>Requester Level</b>		<b>R</b>				When used for notification, the 278 requester loop will be empty (see future I.G.)	Processing Logic
<b>2010B</b>	<b>NM1</b>	<b>Requester Name</b>		<b>R</b>					
2010B	NM101	Entity Identifier Code	ID3	R				From request, same position	Match Back
2010B	NM102	Entity Type Qualifier	ID1	R				From request, same position	Match Back
2010B	NM103	Requester Last or Organization Name	AN35	S	Prov-File	PROV-NAME	X(31)	From request, same position; support up to 35 bytes	Match Back
2010B	NM108	Identification Code Qualifier	ID2	R				"24" with EIN; "34" with SSN; "XX" with NPI.	Match Back
2010B	NM109	Requester Identifier	AN80	R	Prov-File	PROV-NUMBER	9(10)	From request, same position	Match Back
<b>2000C</b>	<b>HL</b>	<b>Subscriber Level</b>		<b>R</b>					
<b>2000C</b>	<b>DTP</b>	<b>Accident Date</b>		<b>S</b>				return what was in request	Match Back
<b>2000C</b>	<b>DTP</b>	<b>Last Menstrual Period Date</b>		<b>S</b>				return what was in request	Match Back

<i>Loop</i>	<i>SegID</i>	<i>HIPAA Name</i>	<i>DT</i>	<i>Req</i>	<i>File</i>	<i>Field</i>	<i>DT</i>	<i>Comment</i>	<i>CommentType</i>
2000C	DTP	Estimated Date of Birth		S				return what was in request	Match Back
2000C	DTP	Onset of Current Symptoms or Illness Date		S				return what was in request	Match Back
2000C	HI	Subscriber Diagnosis		S				return what was in request IF it was used in determination	Match Back
2010C	NM1	Subscriber Name		R					
2000D	HL	Dependent Level		S					
2010D	NM1	Dependent Name		R					
2000E	HL	Service Provider Level		R					
2010E	NM1	Service Provider Name		R					
2010E	NM108	Identification Code Qualifier	ID2	S				Send "XX" with NPI, or "24" with Employer TaxID.	Match Back
2010E	NM109	Service Provider Identifier	AN80	S	Prior-Authorization	PROV-NUMBER	9(10)	Send back what came in on request.	Match Back
2000F	HL	Service Level		R				MAA has 1 PA# for > 1 procedures, so loop for each procedure with same PA# in > 1 loop.	Translation
2000F	UM 01	Request Category Code	ID2	R				send back from request	Match Back
2000F	UM 02	Certification Type Code	ID1	R				Return what was in request.	Match Back
2000F	UM 04	Facility Type Code	AN2	R				Return from request, same position	Match Back
2000F	UM 04	Facility Code Qualifier	ID2	R				Return from request, same position	Match Back
2000F	UM 06	Level of Service Code	ID3	S				Return what was in request.	Match Back
2000F	CR6	Home Health Care Information		S				Required if valued on request.	Match Back

<i>Loop</i>	<i>SegID</i>	<i>HIPAA Name</i>	<i>DT</i>	<i>Req</i>	<i>File</i>	<i>Field</i>	<i>DT</i>	<i>Comment</i>	<i>CommentType</i>
-------------	--------------	-------------------	-----------	------------	-------------	--------------	-----------	----------------	--------------------

### Comment Type Legend:

Case Management = "Nice to Have" fields for case reviewers.

Electronic COB = If we do electronic COB, these fields will be needed.

HIPAA Questions = Questions about interpreting the HIPAA Implementation Guides.

HIPAA Required = Required fields in HIPAA that don't seem to be in the legacy system.

Map Codes = Need to crosswalk local codes to standard codes.

Match Back = Fields received on an incoming transaction that must be returned in the response.

Nice to Have = Optional fields that are useful for other reasons.

Policy Issues = Decisions to be made by system experts.

Processing Logic = Logic that needs to be built into either the front end or MMIS.

System Questions = Questions about the legacy systems.

Translation = Only use to program translations.

### Column Heading Legend:

"DT" = Data Type

### COBOL Data Types Legend:

X(n) - Character data with length of n bytes

9(n) - Integer data with length of n bytes

S9(n) - Signed integer data with length of n bytes

9(n)V99 or 9(n)V9(2) - Numeric data with n decimal digits before the decimal point and 2 decimal digits after the decimal point

S9(n)V99 or S9(n)V9(2) - Signed numeric data with n decimal digits before the decimal point and 2 decimal digits after the decimal point

### HIPAA Data Types Legend:

ANn - Free text with length of n bytes

IDn - Coded value with length of n bytes

Nn - Numeric data with length of n bytes

Rn - Real data with length of n bytes

DT8 - Date expressed as CCYYMMDD

TM8 - Time expressed as HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds ((00-99)